according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Antol 80

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

Degreaser

Uses advised against

This product should not be used for purposes other than the applications referred to above.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Americol BV

Street: Sluispolderweg 33

Postal code/city: 1505 HJ Zaandam
Telephone: +31 (0)75 - 6313244
Telefax: +31 (0)75 - 6313265
Information contact: NVIC
Website: www.americol.nl

E-mail (competent person): r.doornink@americol.nl

1.4 Emergency telephone number

NVIC: (0)30 - 274 88 88 (uitsluitend voor een behandelend arts bij vergiftiging) (08:00 - 16:30 h)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Harmful: may cause lung damage if swallowed.

Xn; R 65

2.2 Label elements

Labelling (67/548/EEC or 1999/45/EC)

Hazard symbols and hazard statements of dangerous substances and preparations



Xn ; Harmful

R-phrases

Harmful: may cause lung damage if swallowed.

S-phrases

If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

This material and its container must be disposed of in a safe way.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation). This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode.

Page: 1/8

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT / KEROSINE - UNSPECIFIED ; EC No : 265-149-8; CAS No. : 64742-47-

Weight fraction : \geq 50 % Classification 67/548/EEC : Xn ; R65

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304 BUTYL CELLOSOLVE ; EC No : 203-905-0; CAS No. : 111-76-2

Weight fraction: 2,5 - 10 %

Classification 67/548/EEC : Xn ; R20/21/22 Xi ; R36/38

Classification 1272/2008 [CLP]: Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Irrit. 2; H315

Eye Irrit. 2; H319

Additional information

Full text of R-, H- and EUH-phrases: see section 16.

3.3 Components according to regulation (EG) Nr. 648/2004

aliphatic hydrocarbons >= 30 % non-ionic surfactants < 5 %

4. First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. No direct artificial respiration to be given by first aider. Call a physician in any case!

In case of skin contact

Wash immediately with: Water and soap. Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

After ingestion

Do not induce vomiting. If major quantitiy of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Headache. Dizziness. Nausea. Diminished responsiveness. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

5. Firefighting measures

Page: 2 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

5.1 Extinguishing media

Suitable extinguishing media

Water mist Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide. Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand. Absorbing material, organic.

6.4 Reference to other sections

See protective measures under point 7 and 8.

7. Handling and storage



7.1 Precautions for safe handling

Protective measures

Fire prevent measures

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Provide earthing of containers, equipment, pumps and ventilation facilities.

Page: 3 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



2.0.0 (1.0.1)

 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision):

Measures to prevent aerosol and dust generation

During filling, metering and sampling should be used if possible: Closed devices.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Suitable container/equipment material: Stainless steel. Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber).

Hints on joint storage

Storage class: 10

Storage class (TRGS 510): 10

7.3 Specific end use(s)

None

8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

BUTYL CELLOSOLVE; CAS No.: 111-76-2

Limit value type (country of origin): TRGS 900 (D)
Limit value: 20 ppm / 98 mg/m³

Peak limitation: 4(II)
Remark: H,Y
Version: 01-03-2011
Limit value type (country of origin): STEL (EC)

Limit value: 50 ppm / 246 mg/m³

Remark: H
Version: 08-06-2000
Limit value type (country of origin): TWA (EC)

Limit value: 20 ppm / 98 mg/m³

Remark:

Version: 08-06-2000

Biological limit values

BUTYL CELLOSOLVE ; CAS No. : 111-76-2

Limit value type (country of origin) : TRGS 903 (D) $\,$

Parameter: Butoxy acetic acid / Urine (U) / At long term exposure: after several previous shifts

Limit value : 100 mg/l Version : 31-03-2004

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

Personal protection equipment





Eye / face protection

Eye glasses with side protection

Page: 4/8

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. DIN-/EN-Norms DIN EN 374 DIN EN 420 Suitable material NBR (Nitrile rubber). PVA (Polyvinyl alcohol). PVC (Polyvinyl chloride)

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus Full-/half-/quarter-face masks (DIN EN 136/140) Filtering device (full mask or mouthpiece) with filter: A

General health and safety measures

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See chapter 7. No additional measures necessary.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties Safety relevant basis data

Physical state :			liquid	
Colour:			red	
Odour: Melting point / melting range:			characteristic not applicable	
			пос аррисавіе	
Boiling temperature / boiling range:	ge (1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Freezing point :			No data available	
Flash point :			80	°C
Auto-ignition temperature :		>	250	°C
Lower explosion limit:				Vol-%
Upper explosion limit :				Vol-%
Vapour Pressure :	(20 °C)		No data available	
Evaporation rate (n-butylacetate 1):	=		No data available	
Density:	(20 °C)	ca.	0,8	g/cm ³
Water solubility :	(20°C)		emulsifies	
pH value :			not applicable	
Partition coefficient (n- octanol/water) :		<	3	
Viscosity:	(20 °C)	<	10	mPa.s
Vapour density (air = 1):	(101 kPa)		No data available	

9.2 Other information

None

10. Stability and reactivity

10.1 Reactivity

not applicable

10.2 Chemical stability

Stable under normal conditions of use

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

No information available.

10.4 Conditions to avoid

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).. Keep away from sources of ignition. - No smoking.

10.5 Incompatible materials

Strong oxidizers

10.6 Hazardous decomposition products

No information available.

11. Toxicological information

11.1 Information on toxicological effects

Irritant and corrosive effects

Primary irritation to the skin

Not an irritant.

Irritation to eyes

Not an irritant.

Irritation to respiratory tract

No data available

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Germ cell mutagenicity/Genotoxicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Specific target organ toxicity (single exposure)

not applicable

Specific target organ toxicity (repeated exposure)

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

Aspiration hazard

Harmful: may cause lung damage if swallowed.

12. Ecological information

12.1 Toxicity

Harmless to aquatic organisms up to the tested concentration

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

May accumulate in organisms.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

Page: 6 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

12.6 Other adverse effects

None

12.7 Further ecological information

None

13. Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

14. Transport information

14.1 UN number

No dangerous good in sense of this transport regulation.

14.2 UN proper shipping name

No dangerous good in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous good in sense of this transport regulation.

14.4 Packing group

No dangerous good in sense of this transport regulation.

14.5 Environmental hazards

No dangerous good in sense of this transport regulation.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture $^{15.1}$

National regulations

Water hazard class (WGK)

Class: 2 (Hazardous to water) Classification according to VwVwS

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

Page: 7 / 8

according to Regulation (EC) No. 1907/2006 (REACH)



 Trade name :
 Antol 80

 Revision date :
 12.11.2012

 Date of print :
 29-05-2013

Version (Revision): 2.0.0 (1.0.1)

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 $\mbox{Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways. } \\$

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Health hazard (GHS08)

Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do not induce vomiting. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations

16.5 Relevant R-, H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

36/38 Irritating to eyes and skin.

Harmful: may cause lung damage if swallowed.

16.6 Training advice

None

16.7 Additional information

Article No.: 950

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.